



Vallabh Enterprises

Regd. Office : 401,shanti kutir,shivaji road,near thakur international school,kandivali(west) mumbai - 400067
Support : | W : www.vallabhenterprises.com
E : vallabhsecure@yahoo.co.in

| | | | | | |
|--|---|--------------------------|----------------------------|---|---|
| Service Status Details : VE9528 | | | | | |
| Priority : | Low | | | | |
| Created By : | Admin - Apurva Vajaria | | | | |
| Complaint Mob. No. : | 9619209853 | | | | |
| Technician Name : | Atique Salmani | | Technician Mobile : | 8080922984 | |
| Ticket Type : | Call Basis | Date & Time : | 13-09-2023 11:16:29 | | |
| Vendor Details : | | | | | |
| Company Name/Client Name : | Octavius Cooperative Housing Society Ltd | Customer's Mobile : | 9619209853 | Name : | Amar Ganesh |
| Address : | | | | | |
| Mumbai , , , , Maharashtra | | | | | |
| AMC Details : | | | | | |
| Expiry Date : | 25-08-2020 12:00:00 | | Type : | Non-Comprehensive | |
| Product Name : | CCTV | | | | |
| Complain : | one camera off issue | | | | |
| Technician Comment : | We checked only ohms in cat6 cable power didnt check there is spare 2 core cable and 12 volt power coming so give power from 2 core cable and working ok set angel recording also working on. | | | | |
| Complain Operator : | Desktop - Apurva Vajaria | | | | |
| Remark : | We checked only ohms in cat6 cable power didnt check there is spare 2 core cable and 12 volt power coming so give power from 2 core cable and working ok set angel recording also working on. | | | | |
| Status History : | Date Time | Technician Name | Status | Remark | Sign |
| | 14-09-2023 10:17:49 | Atique Salmani | Completed | We checked only ohms in cat6 cable power didnt check there is spare 2 core cable and 12 volt power coming so give power from 2 core cable and working ok set angel recording also working on. |  |
| | 14-09-2023 10:11:11 | Atique Salmani | New | | - |
| | 13-09-2023 06:03:50 | Atique Salmani | In Progress | Camere ke pass voltage nahin pahunch pa raha hai. Current voltage 2.33 arha hai exchange mode karne per bhi. |  |
| | 13-09-2023 12:09:11 | Atique Salmani | New | | - |

| | | | |
|-----------------------------------|---------------------|-----------------|---|
| Previous Complain History : | | | |
| | Date Time | Technician Name | Remark |
| | 22-07-2023 10:52:47 | PravinJagade | 1 bullet camera no video issue resolve working done.all camera working. |
| | 10-07-2023 03:07:54 | ChandanYadav | 2 camera working and three camera not working new camera requirements. Three 4*4 box.cctv working ok. |