Vallabh Enterprises

 $\label{eq:Regd.office:401,shanti kutir,shivaji road,near thakur international school,kandivali(west) mumbai - 400067 \\ \text{Support:} \mid \textbf{W}: www.vallabhenterprises.com \\ \textbf{E}: vallabhsecure@yahoo.co.in \\ \end{cases}$

Service Status D	etails : VE3733								
Priority:	Low								
Created By:	Admin - Apurva Vajaria								
Complaint Mob. No. :	9833838795								
Technician Name :	Ravi Rajbhar		Technician Mobile :	8080922965					
Ticket Type :	Complain	Date & Time:	31-08-2021 10:20:21						
Vendor Details :									
Company Name/Client Name :	Shoppers Stop-ltd Ghatkopar	Customer's Mobile :	9833838795	Name:	Jaywant Sir				
Address:									
Mumbai , , , , Maharashtra									
AMC Details :				-					
Expiry Date:	01-01-1970 05:30:00		Type:						
Product Name:	CCTV								
Complain:	8 to 10 camera not working								
Technician Comment :	3 camera issue resolved. DVR no 3 . 2 camera shifted in DVR no 7 by them DVR no 5 . DVR and 4 tb hard disk issue and HDD hondover to jaywant sir DVR no 6 . recording issue recording not working properly. DVR no 6 is under observation. new power supply uesd for observation. DVR no 6 canfirm to Sridhar sir								
Complain Operator :	Desktop - Apurva Vajaria								
Remark :	3 camera issue resolved. DVR no 3 . 2 camera shifted in DVR no 7 by them DVR no 5 . DVR and 4 tb hard disk issue and HDD hondover to jaywant sir DVR no 6 . recording issue recording not working properly. DVR no 6 is under observation. new power supply uesd for observation. DVR no 6 canfirm to Sridhar sir								

Status History :	Date Time	Technician Name	Status		Remark	Sign
	02-09-2021 02:07:48	Ravi Rajbhar	Completed		3 camera issue resolved. DVR no 3 . 2 camera shifted in DVR no 7 by them DVR no 5 . DVR and 4 th hard disk issue and HDD hondover to jaywant sir DVR no 6 . recording issue recording not working properly. DVR no 6 is under observation. new power supply uesd for observation. DVR no 6 canfirm to Sridhar sir	3 W/PJ/IR
	02-09-2021 10:11:28	Ravi Rajbhar	New			-
	31-08-2021 12:33:51	Ravi Rajbhar	Work Pending		total 16 camera off two power supply used canfirm to Sridhar and 11 camera ok working done and 5 camera not check our side bcz not approve security parson to floor camera and all DVR recording check and DVR 6 recording issue 3/8/21 to 9/8/21 recording available and 10/8/21 to 28/8/21 recording not available in DVR and 29/8/21 to 31/8/21 recording going on in DVR infrom to security parson rane sir	he L
	31-08-2021 10:20:35	Ravi Rajbhar	bhar New			-
	31-08-2021 10:20:22	Ravi Rajbhar	New			-
Previous Complain	Date Time	Technician	Name	Remark		
History:	06-06-2022 11:28:1	YogeshDesa	ai		ew power supply installed at check point of staff entry near device device and reader working ok	
	09-05-2022 07:59:4	Shiva Meen	a	5 dvr port isu balekn whait all camera ok		