Vallabh Enterprises

 $\label{eq:Regd.office:401,shanti kutir,shivaji road,near thakur international school,kandivali(west) mumbai - 400067 \\ \text{Support:} \mid \textbf{W}: www.vallabhenterprises.com \\ \textbf{E}: vallabhsecure@yahoo.co.in \\ \end{cases}$

E: vallabnsecure@yanoo.co.in						
Service Status Det	ails: VE13937					
Priority:	Low					
Created By:	Admin - Apurva Vajaria					
Complaint Mob. No. :	9833222801					
Technician Name:	Ravi Rajbhar		Technici	ian Mobile 8080922965		
Ticket Type :	Complain	Date & Time :	27-01-20	-2025 12:02:00		
Vendor Details :						
Company Name/Client Name :	Poonam Cluster	Customer's Mobile :	9833222	801	Name :	Mateen Sir
Address:						
Mumbai,,,,Mah	arashtra					
AMC Details :						
Expiry Date :	01-01-1970 05:30:00		Type:	Type:		
Product Name:	CCTV					
Complain :	1)all cameras not able to see in daraksha madam pc 2)B3 Biometric machine not working 3)b1 glass door access button not working					
Technician Comment :	B3 biometric access divice issue resolved and ok working done And b1 exit switch also ok working normally proper And all cmaera ok working on lobby tv amd society office pc					
Complain Operator :	Desktop - Apurva Vajaria					
Remark:	B3 biometric access divice issue resolved and ok working done And b1 exit switch also ok working normally proper And all cmaera ok working on lobby tv amd society office pc					
Status History :	Date Time	Technician Name	Status	Remark		Sign
	28-01-2025 02:55:54	Ravi Rajbhar	Completed	B3 biometric access divice issue resolved and ok working done And b1 exit switch also ok working normally proper And all cmaera ok working on lobby tv amd society office pc		ang r
	28-01-2025 10:36:37	Ravi Rajbhar	New	-		-
Previous Complain History:	Date Time	Technician Name	e	Remark		
	20-03-2025 02:41:3	Rahul Mhapralka	Office pc	Office pc all Cameras work normally.		
	08-03-2025 12:32:1	7 Ravi Rajbhar	glass door	B 1 - exit switch issue resolved and ok working done and glass door issue client side B2 - em lock allament issue resolved and ok working done B3 - already lock ok working done		