

# Vallabh Enterprises

**Regd. Office :** 401,shanti kutir,shivaji road,near thakur international school,kandivali(west) mumbai - 400067  
**Support : | W :** www.vallabhenterprises.com  
**E :** vallabhsecure@yahoo.co.in

<b>Service Status Details : VE9127</b>																				
<b>Priority :</b>	Low																			
<b>Created By :</b>	Admin - Apurva Vajaria																			
<b>Complaint Mob. No. :</b>	9223207875																			
<b>Technician Name :</b>	Ravi Rajbhar		<b>Technician Mobile :</b>	8080922965																
<b>Ticket Type :</b>	Complain	<b>Date &amp; Time :</b>	10-08-2023 03:04:13																	
<b>Vendor Details :</b>																				
<b>Company Name/Client Name :</b>	Shoppers Stop Ltd - HO	<b>Customer's Mobile :</b>	9223207875	<b>Name :</b>	Nandu Sir															
<b>Address :</b>																				
Mumbai , , , , Maharashtra																				
<b>AMC Details :</b>																				
<b>Expiry Date :</b>	01-01-1970 05:30:00		<b>Type :</b>																	
<b>Product Name :</b>	CCTV																			
<b>Complain :</b>	5th floor switch 1 Port not working so 1 camera off issue																			
<b>Technician Comment :</b>																				
<b>Complain Operator :</b>	Desktop - Apurva Vajaria																			
<b>Remark :</b>	17.08.2023 - New poe switch 10/100 replacement against faulty poe switch install faulty switch collect to office one camera issue resolved and working ok																			
<b>Status History :</b>	<table><thead><tr><th>Date Time</th><th>Technician Name</th><th>Status</th><th>Remark</th><th>Sign</th></tr></thead><tbody><tr><td>25-08-2023 03:04:36</td><td>Ravi Rajbhar</td><td>Completed</td><td></td><td>-</td></tr><tr><td>17-08-2023 10:44:51</td><td>Ravi Rajbhar</td><td>New</td><td></td><td>-</td></tr></tbody></table>					Date Time	Technician Name	Status	Remark	Sign	25-08-2023 03:04:36	Ravi Rajbhar	Completed		-	17-08-2023 10:44:51	Ravi Rajbhar	New		-
Date Time	Technician Name	Status	Remark	Sign																
25-08-2023 03:04:36	Ravi Rajbhar	Completed		-																
17-08-2023 10:44:51	Ravi Rajbhar	New		-																
<b>Previous Complain History :</b>	<table><thead><tr><th>Date Time</th><th>Technician Name</th><th>Remark</th></tr></thead><tbody><tr><td>03-08-2023 10:55:52</td><td>Atique Salmani</td><td>11 dome 6 fish eye with pole bracket total cameras 17 3rd and 5th boath 6 Poe swich 3nos on third and 3 nos on 5th 32 channel NVR cable approx 550 meter And patil sir required old NVR 3 floor camera in 1 NVR and 5 th floor in 1 NVR</td></tr><tr><td>29-07-2023 02:21:56</td><td>Ravi Rajbhar</td><td>1- 3rd floor main enterance biometric access divice scaner check our side ok working done but nandu sir they said sometimes it doesn't work divice 2- 5th floor it room sarver room em lock issue resloved only mainget paty propely fiting our side</td></tr></tbody></table>					Date Time	Technician Name	Remark	03-08-2023 10:55:52	Atique Salmani	11 dome 6 fish eye with pole bracket total cameras 17 3rd and 5th boath 6 Poe swich 3nos on third and 3 nos on 5th 32 channel NVR cable approx 550 meter And patil sir required old NVR 3 floor camera in 1 NVR and 5 th floor in 1 NVR	29-07-2023 02:21:56	Ravi Rajbhar	1- 3rd floor main enterance biometric access divice scaner check our side ok working done but nandu sir they said sometimes it doesn't work divice 2- 5th floor it room sarver room em lock issue resloved only mainget paty propely fiting our side						
Date Time	Technician Name	Remark																		
03-08-2023 10:55:52	Atique Salmani	11 dome 6 fish eye with pole bracket total cameras 17 3rd and 5th boath 6 Poe swich 3nos on third and 3 nos on 5th 32 channel NVR cable approx 550 meter And patil sir required old NVR 3 floor camera in 1 NVR and 5 th floor in 1 NVR																		
29-07-2023 02:21:56	Ravi Rajbhar	1- 3rd floor main enterance biometric access divice scaner check our side ok working done but nandu sir they said sometimes it doesn't work divice 2- 5th floor it room sarver room em lock issue resloved only mainget paty propely fiting our side																		