




Vallabh Enterprises

Regd. Office : 401,shanti kutir,shivaji road,near thakur international school,kandivali(west) mumbai - 400067
Support : | W : www.vallabhenterprises.com
E : vallabhsecure@yahoo.co.in

Service Status Details : VE12672																									
Priority :	Low																								
Created By :	Admin - Apurva Vajaria																								
Complaint Mob. No. :	9702786668																								
Technician Name :	Atique Salmani		Technician Mobile :	8080922984																					
Ticket Type :	Complain	Date & Time :	09-09-2024 05:08:30																						
Vendor Details :																									
Company Name/Client Name :	Beam Hospital (Womens Hospital)	Customer's Mobile :	9702786668	Name :	Nazia																				
Address :																									
Mumbai , , , , Maharashtra																									
AMC Details :																									
Expiry Date :	30-09-2020 12:00:00		Type :	Comprehensive																					
Product Name :	Access																								
Complain :	network changed data not able to download																								
Technician Comment :	There is range changed and biometric is connect in 0.122 ranged and account router and pc in 1.1 there is 2 network so biometric need to take in 1.1 range need to cat 6 cable 20/25 MTR by Munna bhai electrician from account router to biometric device . And 1 employee Sana Shaikh face n finger add .																								
Complain Operator :	Desktop - Apurva Vajaria																								
Remark :	There is range changed and biometric is connect in 0.122 ranged and account router and pc in 1.1 there is 2 network so biometric need to take in 1.1 range need to cat 6 cable 20/25 MTR by Munna bhai electrician from account router to biometric device . And 1 employee Sana Shaikh face n finger add .																								
Status History :	<table><thead><tr><th>Date Time</th><th>Technician Name</th><th>Status</th><th>Remark</th><th>Sign</th></tr></thead><tbody><tr><td>15-11-2024 01:06:30</td><td>Atique Salmani</td><td>Closed</td><td></td><td>-</td></tr><tr><td>10-09-2024 11:42:52</td><td>Atique Salmani</td><td>Client Side</td><td>There is range changed and biometric is connect in 0.122 ranged and account router and pc in 1.1 there is 2 network so biometric need to take in 1.1 range need to cat 6 cable 20/25 MTR by Munna bhai electrician from account router to biometric device . And 1 employee Sana Shaikh face n finger add .</td><td></td></tr><tr><td>10-09-2024 10:35:02</td><td>Atique Salmani</td><td>New</td><td></td><td>-</td></tr></tbody></table>					Date Time	Technician Name	Status	Remark	Sign	15-11-2024 01:06:30	Atique Salmani	Closed		-	10-09-2024 11:42:52	Atique Salmani	Client Side	There is range changed and biometric is connect in 0.122 ranged and account router and pc in 1.1 there is 2 network so biometric need to take in 1.1 range need to cat 6 cable 20/25 MTR by Munna bhai electrician from account router to biometric device . And 1 employee Sana Shaikh face n finger add .		10-09-2024 10:35:02	Atique Salmani	New		-
Date Time	Technician Name	Status	Remark	Sign																					
15-11-2024 01:06:30	Atique Salmani	Closed		-																					
10-09-2024 11:42:52	Atique Salmani	Client Side	There is range changed and biometric is connect in 0.122 ranged and account router and pc in 1.1 there is 2 network so biometric need to take in 1.1 range need to cat 6 cable 20/25 MTR by Munna bhai electrician from account router to biometric device . And 1 employee Sana Shaikh face n finger add .																						
10-09-2024 10:35:02	Atique Salmani	New		-																					

Previous Complain History :			
	Date Time	Technician Name	Remark
	04-11-2024 03:13:30	Atique Salmani	There is static ip was Expired so it was offline so cordinate with internet provider and issue resolved working ok .
	15-10-2024 11:16:35	Atique Salmani	Dvr and nvr online done Nazia mam and gazala mam it's working ok and also Bindu mam ivms uninstall and install hikconnnet and online on static ip working ok