Vallabh Enterprises

Service Status Details : VE9886					
Priority :	Low				
Created By :	Admin - Apurva Vajaria				
Complaint Mob. No. :	9702786668				
Technician Name :	Siddhesh Chavan		**Technician Mobile :**	8080922985	
Ticket Type :	Complain	**Date & Time :**	21-10-2023 06:11:10		
Vendor Details :					
Company Name/Client Name :	Beam Hospital (Womens Hospital)	Customer's Mobile :	9702786668	Name :	Nazia
Address :					
Mumbai , , , , Maharashtra					
AMC Details :					
Expiry Date :	30-09-2020 12:00:00		Type :	Comprehensive	
Product Name :	CCTV				
Complain :	16 cameras not working				
Technician Comment :	DVR online viewing issue resoved because staic IP change and old IP active and issue resoved				
Complain Operator :	Desktop - Apurva Vajaria				
Remark :	DVR online viewing issue resoved because staic IP change and old IP active and issue resoved				

Status History :

Date Time	Technician Name	Status	Remark	Sign
26-10-2023 03:13:06	Siddhesh Chavan	Completed	DVR online viewing issue resoved because staic IP change and old IP active and issue resoved	*signature*
26-10-2023 12:32:43	Siddhesh Chavan	New		-
21-10-2023 06:11:39	Siddhesh Chavan	New		-

Previous Complain History :

Date Time	Technician Name	Remark
24-11-2023 01:55:46	Shiva Meena	Software wark complete and online done
28-10-2023 12:10:47	Atique Salmani	Cctv fire and access pp. Done and in dvr 11 nmbr camera was blurrr so changed BNC dc and ok and fire paneel check by smoke it's working ok but in pannel on display not showing digit.