




Vallabh Enterprises

Regd. Office : 401,shanti kutir,shivaji road,near thakur international school,kandivali(west) mumbai - 400067
Support : | W : www.vallabhenterprises.com
E : vallabhsecure@yahoo.co.in

Service Status Details : VE12910																				
Priority :	Low																			
Created By :	Admin - Apurva Vajaria																			
Complaint Mob. No. :	9820042825																			
Technician Name :	Mayur Yadav		Technician Mobile :	8411951301																
Ticket Type :	Complain	Date & Time :	07-10-2024 11:16:08																	
Vendor Details :																				
Company Name/Client Name :	NEW PAKIZA SRA CHS LTD.	Customer's Mobile :	9820042825	Name :	Nimesh Bhai															
Address :																				
Mumbai , , , , Maharashtra																				
AMC Details :																				
Expiry Date :	01-01-1970 05:30:00		Type :																	
Product Name :	CCTV																			
Complain :	all cameras off issue																			
Technician Comment :	All camera (60 nos) offline issue solve 16 th floor network switch off Ground floor socket 230 cable burn change with new Ground floor switch uplink issue solve Ground floor switch camera connection issue solve 1 Nvr camera delete 32 nos camera added Frame rate bit rate settings done 5 nos camera angle settings done																			
Complain Operator :	Desktop - Apurva Vajaria																			
Remark :	All camera (60 nos) offline issue solve 16 th floor network switch off Ground floor socket 230 cable burn change with new Ground floor switch uplink issue solve Ground floor switch camera connection issue solve 1 Nvr camera delete 32 nos camera added Frame rate bit rate settings done 5 nos camera angle settings done																			
Status History :	<table><thead><tr><th>Date Time</th><th>Technician Name</th><th>Status</th><th>Remark</th><th>Sign</th></tr></thead><tbody><tr><td>07-10-2024 06:09:31</td><td>MayurYadav</td><td>Completed</td><td>All camera (60 nos) offline issue solve 16 th floor network switch off Ground floor socket 230 cable burn change with new Ground floor switch uplink issue solve Ground floor switch camera connection issue solve 1 Nvr camera delete 32 nos camera added Frame rate bit rate settings done 5 nos camera angle settings done</td><td></td></tr><tr><td>07-10-2024 11:16:16</td><td>MayurYadav</td><td>New</td><td></td><td>-</td></tr></tbody></table>					Date Time	Technician Name	Status	Remark	Sign	07-10-2024 06:09:31	MayurYadav	Completed	All camera (60 nos) offline issue solve 16 th floor network switch off Ground floor socket 230 cable burn change with new Ground floor switch uplink issue solve Ground floor switch camera connection issue solve 1 Nvr camera delete 32 nos camera added Frame rate bit rate settings done 5 nos camera angle settings done		07-10-2024 11:16:16	MayurYadav	New		-
Date Time	Technician Name	Status	Remark	Sign																
07-10-2024 06:09:31	MayurYadav	Completed	All camera (60 nos) offline issue solve 16 th floor network switch off Ground floor socket 230 cable burn change with new Ground floor switch uplink issue solve Ground floor switch camera connection issue solve 1 Nvr camera delete 32 nos camera added Frame rate bit rate settings done 5 nos camera angle settings done																	
07-10-2024 11:16:16	MayurYadav	New		-																

Previous Complain History :	Date Time	Technician Name	Remark
	05-10-2024 11:48:42	ManojPolekar	Ppm done all camera working ok
	30-09-2024 04:24:20	Atique Salmani	Main gate camera need to work pending