Vallabh Enterprises

 $\label{eq:Regd.office:401,shanti kutir,shivaji road,near thakur international school,kandivali(west) mumbai - 400067 \\ \text{Support:} \mid \textbf{W}: www.vallabhenterprises.com \\ \textbf{E}: vallabhsecure@yahoo.co.in \\ \end{cases}$

E : vallabhsecure@yal	100.00.111						
Service Status De	tails: VE899						
Priority:	High						
Created By:	Admin - Apurva Vajaria						
Complaint Mob. No. :	9987081703						
Technician Name :	Atique Salmani			chni	cian Mobile	8080922984	
Ticket Type:	Complain	Date & Time :	: 10-01-2020 12:40		2020 12:46:50		
Vendor Details :	_						
Company Name/Client Name :	Armstrong (India) Constructions {Malai}	Customer's Mo	bile 99	9987081703		Name :	Rashmi
Address:							
Mumbai , , , , Ma	harashtra						
AMC Details :							
Expiry Date :	01-01-1970 05:30:00		Ту	pe:			
Product Name:	Intercom						
Complain:	boss cabin ph not working 1 line not working						
Technician Comment :	one line not working and also programming issue in prithvi sir kyphone all issue resolved of epbax system working ok.						
Complain Operator :	Desktop - Apurva Vajaria						
Remark:	one line not working and also programming issue in prithvi sir kyphone all issue resolved of epbax system working ok.						
Status History:	Date Time	Technician Name	Statu	18	Re	mark	Sign
	10-01-2020 05:03:06	Atique Salmani	Comple				Callean
	10-01-2020 12:47:04	Atique Salmani	New	New			-
	10-01-2020 12:47:00	Atique Salmani	New				-
	10-01-2020 12:46:58	Atique Salmani	New				<u> </u>
	10-01-2020 12:46:51	Atique Salmani	New				-
Previous Complain History :	Date Time Technician Name			Remark			
	17-12-2019 05:16:08	Ravi Rajbhar	epbax system check and only main line issue mtnl side and ok working properly and main boss cabin exit switch camplet resolved				
	11-12-2019 03:38:44	AnilYadav	two sf 100 devices time setting done. And two devices pending because device admin not available. time change for training given to Rashmi madam. And phone line add in epabx after wire find out and key phone side botton programing done also.				