## Vallabh Enterprises

 $\label{eq:conditional} \textbf{Regd. Office}: 401, shanti kutir, shivaji road, near thakur international school, kandivali (west) mumbai - 400067 \\ \text{Support}: | \textbf{W}: www.vallabhenterprises.com \\ \textbf{E}: vallabhsecure@yahoo.co.in}$ 

E : vallabhsecure@yal							
Service Status De	tails: VE7739						
Priority:	Low						
Created By:	Admin - Apurva Vajaria						
Complaint Mob.	9820242335						
Technician Name :	Sonu Kumar		Technician :	Technician Mobile		8454016444	
Ticket Type :	Complain Date & Time:		25-02-2023 03:22:48				
Vendor Details :							
Company Name/Client Name :	Shatrunjay Darshan Society	Customer's Mobile :	982024233	5	Name :	Riyaz Sir	
Address:							
Mumbai , , , , Ma	harashtra						
AMC Details :							
Expiry Date :	01-01-1970 05:30:00		Type:	Type:			
<b>Product Name:</b>	CCTV						
Complain:	3 camera lift recording issue						
Technician Comment :	Lift camera recording missing issue resolved and all camera resolution change and Tim eand date set NVR 1 and NVR 2						
Complain Operator :	Desktop - Apurva Vajaria						
Remark:	Lift camera recording missing issue resolved and all camera resolution change and Tim eand date set NVR 1 and NVR 2 $$						
Status History :	Date Time	Technician Name	Status	Remark		Sign	
	01-04-2023 04:15:20	Sonu Kumar	Completed	Lift camera recording missing issue resolved and all camera resolution change and Tim eand date set NVR 1 and NVR 2		Pa,	
	01-04-2023 12:23:56	Sonu Kumar	New			-	
	20-03-2023 11:27:12	Sonu Kumar	New			-	
	01-03-2023 05:29:12	Sonu Kumar	Work Pending	resolved v	ra off issue working ok and 1 off issue cable d to change and cable	lileh	
	01-03-2023 11:48:06	Sonu Kumar	New			-	
	28-02-2023 10:33:51	Sonu Kumar	New			-	
	25-02-2023 03:23:05	Sonu Kumar	New			-	

Previous Complain History:

Date Time	Technician Name	Remark
11-03-2023 02:20:13	Sonu Kumar	B wing lift camera recording missing in camera recording in motion detection and camera power louse need to chek
14-02-2023 09:52:50	Sonu Kumar	Tv viving issue resolved working ok