




Vallabh Enterprises

Regd. Office : 401,shanti kutir,shivaji road,near thakur international school,kandivali(west) mumbai - 400067
Support : | W : www.vallabhenterprises.com
E : vallabhsecure@yahoo.co.in

Service Status Details : VE10497																				
Priority :	Low																			
Created By :	Admin - Apurva Vajaria																			
Complaint Mob. No. :	9820577881																			
Technician Name :	Ravi Rajbhar		Technician Mobile :	8080922965																
Ticket Type :	Complain	Date & Time :	09-01-2024 06:52:08																	
Vendor Details :																				
Company Name/Client Name :	Manglik Co Op Hsg Society Ltd	Customer's Mobile :	9820577881	Name :	Suhas Sir															
Address :																				
Mumbai , , , , Maharashtra																				
AMC Details :																				
Expiry Date :	01-01-1970 05:30:00		Type :																	
Product Name :	Intercom																			
Complain :	Suhas sir home intercom disturbance issue																			
Technician Comment :	subhah sir home 303 intercom line distribution issue resolved and ok working done and chqe collatt																			
Complain Operator :	Desktop - Apurva Vajaria																			
Remark :	subhah sir home 303 intercom line distribution issue resolved and ok working done and chqe collatt																			
Status History :	<table><thead><tr><th>Date Time</th><th>Technician Name</th><th>Status</th><th>Remark</th><th>Sign</th></tr></thead><tbody><tr><td>12-01-2024 12:43:49</td><td>Ravi Rajbhar</td><td>Completed</td><td>subhah sir home 303 intercom line distribution issue resolved and ok working done and chqe collatt</td><td></td></tr><tr><td>12-01-2024 11:02:19</td><td>Ravi Rajbhar</td><td>New</td><td></td><td>-</td></tr></tbody></table>					Date Time	Technician Name	Status	Remark	Sign	12-01-2024 12:43:49	Ravi Rajbhar	Completed	subhah sir home 303 intercom line distribution issue resolved and ok working done and chqe collatt		12-01-2024 11:02:19	Ravi Rajbhar	New		-
Date Time	Technician Name	Status	Remark	Sign																
12-01-2024 12:43:49	Ravi Rajbhar	Completed	subhah sir home 303 intercom line distribution issue resolved and ok working done and chqe collatt																	
12-01-2024 11:02:19	Ravi Rajbhar	New		-																
Previous Complain History :	<table><thead><tr><th>Date Time</th><th>Technician Name</th><th>Remark</th></tr></thead><tbody><tr><td>07-12-2023 12:50:33</td><td>Siddhesh Chavan</td><td>2lift line ok phone ringer issue 302 working OK 303 line distance issue resoved 502 line OK phone ringer issue 503 working OK</td></tr><tr><td>30-11-2023 03:05:25</td><td>Ravi Rajbhar</td><td>303 intercom noises issue resolved but next need to change cable 3rd floor to ground floor 12 meter</td></tr></tbody></table>					Date Time	Technician Name	Remark	07-12-2023 12:50:33	Siddhesh Chavan	2lift line ok phone ringer issue 302 working OK 303 line distance issue resoved 502 line OK phone ringer issue 503 working OK	30-11-2023 03:05:25	Ravi Rajbhar	303 intercom noises issue resolved but next need to change cable 3rd floor to ground floor 12 meter						
Date Time	Technician Name	Remark																		
07-12-2023 12:50:33	Siddhesh Chavan	2lift line ok phone ringer issue 302 working OK 303 line distance issue resoved 502 line OK phone ringer issue 503 working OK																		
30-11-2023 03:05:25	Ravi Rajbhar	303 intercom noises issue resolved but next need to change cable 3rd floor to ground floor 12 meter																		