Vallabh Enterprises

Regd. Office : 401, shanti kutir, shivaji road, near thakur international school, kandivali(west) mumbai - 400067 Support : | W : www.vallabhenterprises.com E : vallabhsecure@yahoo.co.in

Service Status Details : VE4143 Low **Priority** : **Created By :** Admin - Apurva Vajaria **Complaint Mob.** 8108303036 **No. :** Technician Ravi Rajbhar **Technician Mobile** 8080922965 Name : Complain 29-10-2021 01:22:48 **Ticket Type :** Date & Time : **Vendor Details :** Keval Export Customer's Mobile 8108303036 Tejas Sir-keval Company Name : Name/Client Vashi Export Name : Address : Mumbai,,,, Maharashtra **AMC Details :** 31-05-2021 12:00:00 Non-Comprehensive Expiry Date : Type : **Product Name :** CCTV **Complain**: DVR Beep Sound issue DVR beep sound issue resolved and ok working done only HDD not showing in dvr sata cable **Technician** and power cable clean-up and DVR restart and HDD showing in DVR and ok working HDD and **Comment** : recording on in DVR date and time ok Complain Desktop - Apurva Vajaria **Operator** : DVR beep sound issue resolved and ok working done only HDD not showing in dvr sata cable **Remark** : and power cable clean-up and DVR restart and HDD showing in DVR and ok working HDD and recording on in DVR date and time ok **Status History :** Date Time **Technician Name** Status Remark Sign 30-10-2021 04:43:43 Ravi Rajbhar Closed 29-10-2021 03:02:27 Ravi Rajbhar Completed DVR beep sound issue resolved and ok working done only HDD not showing in dvr sata cable and power cable clean-up and DVR restart and HDD showing in DVR and ok working HDD and recording on in DVR date and time ok 29-10-2021 01:23:04 Ravi Rajbhar New 29-10-2021 01:22:49 Ravi Rajbhar New Previous **Technician Name Date Time** Remark Complain 08-10-2021 09:52:01 Ravi Rajbhar main door not touch exit switch change and faulty take to **History** : office all ok working done of access 15-09-2021 10:38:03 Neeraj Chauhan biomatric device finger not working and 1 biomatric device and 1 remote control sent office for checking.